DuDrive Series TSHP-144

Trunsun High Efficiency Polycrystalline Half-cut Cell Solar Module 330–350W



Higher Module Efficiency

Brings 5-10W power gain due to half-cut production system



More Energy Yield

Lower NMOT and better temperature coefficient by lower cell series resistance, helps boost energy yield



Lower Operating Temperature, More Reliable

Lower operating temperature and hot spot temperature during the sunny day, making the module prevail during the sunny days



Better Shading Tolerance

Thanks to Paralleling circuit design, more power generated under shading condition and during morning & evening time




Better Micro Crack Resistance

Minimize the impact by micro crack by limiting cell damage and potentially extending area by half-cut module architecture



LINEAR PERFORMANCE WARRANTY



🖄 (f

About Trunsun Solar

Trunsun Solar, established in 2008, is dedicated to providing solar products with high quality, excellent performance and strong after-sales support. The company not only has strong financial support but also never stops innovating. Trunsun Solar will keep delivering the diversified solar products for all kinds of renewable energy generation systems around the world.

www.trunsunsolar.com

TRUNSUN SOLAR

www.trunsunsolar.co

DuDrive Series TSHP-144 Trunsun High Efficiency Polycrystalline

Half-cut Cell Solar Module

ELECTRICAL DATA @ STC*		TSHP330-144	TSHP335-144	TSHP340-144	TSHP345-144	TSHP350-144
Peak Power (Pmax)	(W)	330	335	340	345	350
Maximum Power Voltage (Vmp)	(V)	38.11	38.38	38.60	38.86	39.11
Maximum Power Current (Imp)	(A)	8.66	8.73	8.81	8.88	8.95
Open-circuit Voltage (Voc)	(V)	45.96	46.24	46.51	46.79	46.79
Short-circuit Current (Isc)	(A)	9.20	9.46	9.57	9.68	9.74
Module Efficiency	(%)	16.65	16.90	17.15	17.41	17.66
Operating Temperature				-40°C~+85°C		
Maximum System Voltage				1000V		
Maximum Series Fuse Rating				20A		
Application Class				Class A		
Power Telorance				0~+3%		

*STC (Standard Test Condition): Irradiance 1000W/ m² , Module Temperature 25°C, AM 1.5

ELECTRICAL DATA @ NMOT*

Peak Power (Pmax)	(W)	244	248	252	256	259
MPP Voltage (Vmp)	(V)	35.18	35.43	35.63	35.87	36.10
MPP Current (Imp)	(A)	6.95	7.01	7.07	7.13	7.18
Open Circuit Voltage (Voc)	(V)	43.18	43.44	43.69	43.96	44.26
Short Circuit Current (Isc)	(A)	7.45	7.66	7.75	7.84	7.86

*Under Nominal Module Operating Temperature (NMOT), Irradiance of 800W/ m², Spectrum AM 1.5, Ambient Temperature 20°C, Wind Speed 1m/s

TEMPERATURE CHARACTERISTICS

Temperature coefficient of Pmax	-0.39%/°C
Temperature coefficient of Voc	-0.33%/°C
Temperature coefficient of Isc	0.05%/°C
NMOT	42±3°C

MECHNICAL DATA

Cell Type	Poly-Crystalline, 156.75×78.38mm
Cell Arrangement	144pcs (2×(6×12))
Dimension (L×W×H)	2000×991×35mm
Weight	22kg
Front Cover	3.2mm Tempered Glass
Frame	Anodized Aluminium Alloy
Junction Box	IP67, 3 Bypass Diodes
Cable Type	4mm ²
Length of Cable	1250mm
Connector	Jiaming:PV-JM601

PACKING MANNER

Packing Type	40HQ
Piece/Pallet	30
Pallet/Container	22
Piece/Container	660


*The specification and key features described in this datasheet may deviate slightly and are not guaranteed. Due to ongoin innovation, R&D enhancement, Zhejiang Trunsun Solar Co., Ltd. Reserves the right to make any adjustment to the information described herein at any time without notice. Please always obtain the most recent version of the datasheet which shall be duly incorporated into the binding contract made by the parties governing all transactions related to the purchase and sale of the products described herein. produccts described herein.

* Power measurement tolerance: ±3% *Voc measurement tolerance: ±3% *Isc measurement tolerance: ±3% *Power Sorting: 5W


*Modules Shipped to AU are made in China


Headquarters Marketing Center Room 0306, #3 SOHO Building, #968 Jinzhong Road, Changning District, 200335, Shanghai, CHINA Overseas Factory Lot IV.1 & IV.4.2 Thuan Thanh Industrial Zone 3, Thanh Khoung Commune, Thuan Thanh District, Bac Ninh Province, Vietnam

Current-Voltage Curve under different irradiance



Current-Voltage Curve under different working temperatures





Zhejiang Trunsun Solar Co., Ltd

Version 2019.04 © Zhejiang Trunsun Solar Co., Ltd All Rights Reserved.